



2017 ThermoProbe, Inc. Pricing Guide

Standard Thermometers (Most popular and typically in stock.)

Effective
Jan. 01, 2017
2017 Price
(USD)

Item	Description	2017 Price (USD)
TP7C-075-SW-SM	TP7-C Thermometer, 75ft (23m) cable, Standard Weight Probe, Brass Markers at 5ft (1.5m) intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,170.00
TP7C-25M-EW-MM	TP7-C Thermometer, 25 meter cable, Extra Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,185.00
TP7C-25M-SW-MM	TP7-C Thermometer, 25 meter cable, Standard Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,185.00
TP9-075-SW-SM	TP9 Thermometer, 75ft (23m) cable, Standard Weight Probe, Brass Markers at 5ft (1.5m) intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,100.00
TP9-075-AW-NM	TP9 Thermometer, 75ft (23m) cable, Asphalt Weight Probe, No Brass Markers, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,130.00
TP9-075-EW-SM	TP9 Thermometer, 75ft (23m) cable, Extra Weight Probe, Brass Markers at 5ft (1.5m) intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,130.00
TP9-25M-EW-MM	TP9 Thermometer, 25 meter cable, Extra Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,130.00
TL1A-08	TL1-A Thermometer, 8 in. (20cm) sensor length, ATEX/IECEX Certification (II 2 G Ex ib IIC T4), Ambient temperature range -20°C to +40°C, includes hard case	\$550.00
TL1A-12	TL1-A Thermometer, 12 in. (30cm) sensor length, ATEX/IECEX Certification (II 2 G Ex ib IIC T4), Ambient temperature range -20°C to +40°C, includes carry holster	\$550.00
TL1R-08	TL1-R Thermometer, 8 inch Sensor including hard case, ATEX/IECEX Certification (II 2 G Ex ib IIC T4), Ambient temperature range -20°C to +40°C, Calibration Report in Fahrenheit/Celsius	\$865.00
TL1R-12	TL1-R Thermometer, 12 inch Sensor including carry holster, ATEX/IECEX Certification (II 2 G Ex ib IIC T4), Ambient temperature range -20°C to +40°C, Calibration Report in Fahrenheit/Celsius	\$865.00

Laboratory/Reference Thermometers



Item	Description	2017 Price (USD)
TL1A-04	TL1-A Thermometer, 4 in. (10cm) sensor length, (No I.S. Certification), Ambient temperature range -20°C to +40°C, includes hard carry case	\$740.00
TL1A-06	TL1-A Thermometer, 6 in. (15cm) sensor length, (No I.S. Certification), Ambient temperature range -20°C to +40°C, includes hard case	\$740.00
TL1A-08	TL1-A Thermometer, 8 in. (20cm) sensor length, ATEX/IECEX Certification (II 2 G Ex ib IIC T4), Ambient temperature range -20°C to +40°C, includes hard case	\$550.00
TL1A-10	TL1-A Thermometer, 10 in. (25cm) sensor length, ATEX/IECEX Certification (II 2 G Ex ib IIC T4), Ambient temperature range -20°C to +40°C, includes carry holster	\$740.00
TL1A-12	TL1-A Thermometer, 12 in. (30cm) sensor length, ATEX/IECEX Certification (II 2 G Ex ib IIC T4), Ambient temperature range -20°C to +40°C, includes carry holster	\$550.00
TL1A-14	TL1-A Thermometer, 14 in. (35cm) sensor length, ATEX/IECEX Certification (II 2 G Ex ib IIC T4), Ambient temperature range -20°C to +40°C	\$740.00
TL1A-16	TL1-A Thermometer, 16 in. (40cm) sensor length, ATEX/IECEX Certification (II 2 G Ex ib IIC T4), Ambient temperature range -20°C to +40°C	\$740.00
TL1A-18	TL1-A Thermometer, 18 in. (46cm) sensor length, ATEX/IECEX Certification (II 2 G Ex ib IIC T4), Ambient temperature range -20°C to +40°C	\$740.00
TL1A-24	TL1-A Thermometer, 24 in. (60cm) sensor length, ATEX/IECEX Certification (II 2 G Ex ib IIC T4), Ambient temperature range -20°C to +40°C	\$740.00
TL1ACBL	TL1-A Thermometer, Custom Cable Probe Assembly (No I.S. Certification)	\$780.00
TL1R-08	TL1-R Thermometer, 8 inch Sensor including hard case, ATEX/IECEX Certification (II 2 G Ex ib IIC T4), Ambient temperature range -20°C to +40°C, Calibration Report in Fahrenheit/Celsius	\$865.00
TL1R-12	TL1-R Thermometer, 12 inch Sensor including carry holster, ATEX/IECEX Certification (II 2 G Ex ib IIC T4), Ambient temperature range -20°C to +40°C, Calibration Report in Fahrenheit/Celsius	\$865.00



2017 ThermoProbe, Inc. Pricing Guide

TL1R-16	TL1-R Thermometer, 16 inch Sensor, ATEX/IECEx Certification (II 2 G Ex ib IIC T4), Ambient temperature range -20°C to +40°C, Calibration Report in Fahrenheit/Celsius	\$960.00
TL1W-04	TL1-W Thermometer, 4 in. (10cm) sensor length, (No I.S. Certification), Ambient temperature range -20°C to +40°C, includes hard case	\$850.00
TL1W-06	TL1-W Thermometer, 6 in. (15cm) sensor length, (No I.S. Certification), Ambient temperature range -20°C to +40°C, includes hard case	\$850.00
TL1W-08	TL1-W Thermometer, 8 in. (20cm) sensor length, ATEX/IECEx Certification (II 2 G Ex ib IIC T4), Ambient temperature range -20°C to +40°C, includes hard case	\$650.00
TL1W-12	TL1-W Thermometer, 12 in. (30cm) sensor length, ATEX/IECEx Certification (II 2 G Ex ib IIC T4), Ambient temperature range -20°C to +40°C	\$650.00
TL1W-16	TL1-W Thermometer, 16 in. (40cm) sensor length, ATEX/IECEx Certification (II 2 G Ex ib IIC T4), Ambient temperature range -20°C to +40°C	\$850.00
TL1W-18	TL1-W Thermometer, 18 in. (46 cm) sensor length, ATEX/IECEx Certification (II 2 G Ex ib IIC T4), Ambient temperature range -20°C to +40°C	\$850.00
TL1W-24	TL1-W Thermometer, 24 in. (60cm) sensor length, ATEX/IECEx Certification (II 2 G Ex ib IIC T4), Ambient temperature range -20°C to +40°C	\$850.00
TL1WC	TL1-W Thermometer, 8 in. (20 cm) to 24 in. (61cm) Custom Length Sensor, ATEX/IECEx Certification (II 2 G Ex ib IIC T4) if 8 inch to 24 inch sensor length, Ambient temperature range -20°C to +40°C	\$860.00
TL1WCBL	TL1-W Thermometer, Custom Length Cable Probe Assembly, (No I.S. Certification)	\$865.00
TL2-A	TL2-A 2-channel precision bench top thermometer, Configurable RTD and SPRT combinations, Available 2 channel temperature measurement, 0.001 degree resolution, Implements ITS-90 or Callendar-Van Dusen calibration coefficients, SENSORS not Included.	\$1,538.00
TL3-08	TL3 Thermometer, 8 in. (20cm) sensor length, Ambient temperature range -20°C to +40°C, includes hard case.	\$400.00
TL3-12	TL3 Thermometer, 12 in. (30cm) sensor length, Ambient temperature range -20°C to +40°C, includes holster.	\$400.00

Gauging Thermometers

Model TP7-C



Item	Description	2017 Price (USD)
TP7C-012-AW-MM	TP7-C Thermometer, 12ft (4m) cable, Asphalt Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEx Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-012-AW-SM	TP7-C Thermometer, 12ft (4m) cable, Asphalt Weight Probe, Brass Markers at 5ft (1.5m) intervals, ATEX/IECEx Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-012-EW-NM	TP7-C Thermometer, 12ft (4m) cable, Extra Weight Probe, No Brass Markers, ATEX/IECEx Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-012-EW-SM	TP7-C Thermometer, 12ft (4m) cable, Extra Weight Probe, Brass Markers at 5ft (1.5m) intervals, ATEX/IECEx Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-012-RC-MM	TP7-C Thermometer, 12ft (4m) cable, Railcar Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEx Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-012-RC-NM	TP7-C Thermometer, 12ft (4m) cable, Railcar Weight Probe, No Brass Markers, ATEX/IECEx Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-012-RC-SM	TP7-C Thermometer, 12ft (4m) cable, Railcar Weight Probe, Brass Markers at 5ft (1.5m) intervals, ATEX/IECEx Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-012-SW-MM	TP7-C Thermometer, 12ft (4m) cable, Standard Weight Probe, Brass Markers at 1meter intervals, ATEX/IECEx Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-012-SW-NM	TP7-C Thermometer, 12ft (4m) cable, Standard Weight Probe, No Brass Markers, ATEX/IECEx Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-012-SW-SM	TP7-C Thermometer, 12ft (4m) cable, Standard Weight Probe, Brass Markers at 5ft (1.5m) intervals, ATEX/IECEx Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-020-EW-MM	TP7-C Thermometer, 20ft (6m) cable, Extra Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEx Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-020-EW-NM	TP7-C Thermometer, 20ft (6m) cable, Extra Weight Probe, No Brass Markers, ATEX/IECEx Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00



2017 ThermoProbe, Inc. Pricing Guide

TP7C-25M-EW-MM	TP7-C Thermometer, 25 meter cable, Extra Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,185.00
TP7C-25M-EW-NM	TP7-C Thermometer, 25 meter cable, Extra Weight Probe, No Brass Markers, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-25M-EW-SM	TP7-C Thermometer, 25 meter cable, Extra Weight Probe, Brass Markers at 5ft (1.5m) intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-25M-RC-NM	TP7-C Thermometer, 25 meter cable, Railcar Weight Probe, No Brass Markers, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-25M-SW-MM	TP7-C Thermometer, 25 meter cable, Standard Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,185.00
TP7C-25M-SW-NM	TP7-C Thermometer, 25 meter cable, Standard Weight Probe, No Brass Markers, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-25M-SW-SM	TP7-C Thermometer, 25 meter cable, Standard Weight Probe, Brass Markers at Standard 5ft (1.5m) intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-30M-AW-MM	TP7-C Thermometer, 30 meter cable, Asphalt Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-30M-EW-MM	TP7-C Thermometer, 30 meter cable, Extra Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,300.00
TP7C-30M-EW-NM	TP7-C Thermometer, 30 meter cable, Extra Weight Probe, No Brass Markers, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-30M-RC-NM	TP7-C Thermometer, 30 meter cable, Railcar Weight Probe, No Brass Markers, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-30M-SW-MM	TP7-C Thermometer, 30 meter cable, Standard Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,300.00
TP7C-30M-SW-NM	TP7-C Thermometer, 30 meter cable, Standard Weight Probe, No Brass Markers, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-35M-AW-MM	TP7-C Thermometer, 35 meter cable, Asphalt Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-35M-AW-NM	TP7-C Thermometer, 35 meter cable, Asphalt Weight Probe, No Brass Markers, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-35M-EW-MM	TP7-C Thermometer, 35 meter cable, Extra Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-35M-SW-MM	TP7-C Thermometer, 35 meter cable, Standard Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-35M-SW-NM	TP7-C Thermometer, 35 meter cable, Standard Weight Probe, No Brass Markers, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-40M-EW-MM	TP7-C Thermometer, 40 meter (131ft) cable, Extra Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-40M-SW-MM	TP7-C Thermometer, 40 meter (131ft) cable, Standard Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-50M-EW-SM	TP7-C Thermometer, 50 meter (165ft) cable, Extra Weight Probe, Brass Markers at 5ft (1.5m) intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-50M-SW-MM	TP7-C Thermometer, 50 meter (165ft) cable, Standard Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-50M-SW-SM	TP7-C Thermometer, 50 meter (165ft) cable, Standard Weight Probe, Brass markers at 5ft (1.5m) intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,400.00
TP7C-TIIS	TP7-C Thermometer, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C, ADD TIIS LABEL and USE PANASONIC BATTERIES	\$1,400.00

Model TP9



2017 Price
(USD)

Item	Description	2017 Price (USD)
TP9-012-AW-MM	TP9 Thermometer, 12ft (4m) cable, Asphalt Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,350.00



2017 ThermoProbe, Inc. Pricing Guide

TP9-110-SW-SM	TP9 Thermometer, 110ft (34m) cable, Standard Weight Probe, Brass Markers at 5ft (1.5m) intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,250.00
TP9-20M-AW-MM	TP9 Thermometer, 20 meter cable, Asphalt Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,350.00
TP9-25M-AW-MM	TP9 Thermometer, 25 meter cable, Asphalt Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,250.00
TP9-25M-AW-NM	TP9 Thermometer, 25 meter cable, Asphalt Weight Probe, No Brass Markers, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,350.00
TP9-25M-EW-MM	TP9 Thermometer, 25 meter cable, Extra Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,130.00
TP9-25M-EW-NM	TP9 Thermometer, 25 meter cable, Extra Weight Probe, No Brass Markers, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,350.00
TP9-25M-EW-SM	TP9 Thermometer, 25 meter cable, Extra Weight Probe, Brass Markers at 5ft (1.5m) intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,350.00
TP9-25M-RC-MM	TP9 Thermometer, 25 meter cable, Railcar Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,350.00
TP9-25M-RC-NM	TP9 Thermometer, 25 meter cable, Railcar Weight Probe, No Brass Markers, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,350.00
TP9-25M-SW-MM	TP9 Thermometer, 25 meter cable, Standard Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,350.00
TP9-25M-SW-NM	TP9 Thermometer, 25 meter cable, Standard Weight Probe, No Brass Markers, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,350.00
TP9-25M-SW-SM	TP9 Thermometer, 25 meter cable, Standard Weight Probe, Brass Markers at Standard 5ft (1.5m) intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,350.00
TP9-30M-AW-MM	TP9 Thermometer, 30 meter cable, Asphalt Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,350.00
TP9-30M-EW-MM	TP9 Thermometer, 30 meter cable, Extra Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,350.00
TP9-30M-EW-NM	TP9 Thermometer, 30 meter cable, Extra Weight Probe, No Brass Markers, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,350.00
TP9-30M-RC-NM	TP9 Thermometer, 30 meter cable, Railcar Weight Probe, No Brass Markers, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,350.00
TP9-30M-SW-MM	TP9 Thermometer, 30 meter cable, Standard Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,350.00
TP9-30M-SW-NM	TP9 Thermometer, 30 meter cable, Standard Weight Probe, No Brass Markers, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,350.00
TP9-35M-EW-MM	TP9 Thermometer, 35 meter cable, Extra Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,350.00
TP9-35M-SW-MM	TP9 Thermometer, 35 meter cable, Standard Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,350.00
TP9-35M-SW-NM	TP9 Thermometer, 35 meter cable, Standard Weight Probe, No Brass Markers, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,350.00
TP9-40M-EW-MM	TP9 Thermometer, 40 meter (131ft) cable, Extra Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,350.00
TP9-40M-SW-MM	TP9 Thermometer, 40 meter (131ft) cable, Standard Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,350.00
TP9-50M-EW-SM	TP9 Thermometer, 50 meter (165ft) cable, Extra Weight Probe, Brass Markers at 5ft (1.5m) intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,350.00
TP9-50M-SW-MM	TP9 Thermometer, 50 meter (165ft) cable, Standard Weight Probe, Brass Markers at 1 meter intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,350.00
TP9-50M-SW-SM	TP9 Thermometer, 50 meter (165ft) cable, Standard Weight Probe, Brass markers at 5ft (1.5m) intervals, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C	\$1,350.00
TP9-TIIS	TP9 Thermometer, ATEX/IECEX Certification (Ex ib [ia] IIB T4), Ambient temperature range -20°C to +40°C, ADD TIIS LABEL and USE PANASONIC BATTERIES.	\$1,350.00