

# QUALITY ASSURANCE

## NOTIFICATION

### Equipment or Protective System Intended for use in Potentially Explosive Atmospheres Directive 2014/34/EU

- Manufacturers Notification Number:** ITS13ATEXQ7728 Issue 09
- Explosion Protection concept(s) covered by this Notification:** See Schedule 1
- Manufacturer:** ThermoProbe Inc
- Address:** 112A Jetport Drive  
Pearl  
MS 39208  
USA
- Intertek Testing and Certification Limited, Notified Body No. 0359 for Annexes IV and VII in accordance with Article 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, confirms that the manufacturer has a quality system which complies with Annex IV of the Directive.
- Full details of the Audit are held in Intertek Report: G104243401CHE Issue: 001 Dated: 13 October 2020.
- This Notification may be withdrawn if the manufacturer no longer satisfies the requirements of Annex IV. Periodic inspection form part of this Notification.
- This Notification is valid until *18 May 2021* and can be withdrawn if the manufacturer does not satisfy the quality assurance re-assessment.
- The CE marking shall be followed by the identification number 0359 identifying the Notified Body involved in the production control stage required by Article 16 of the Directive 2014/34/EU.
- This Notification may only be reproduced in its entirety and without any change, Schedule included.

**Certification Officer:** \_\_\_\_\_ **Date:** 28 October 2020  
A M Smart

## SCHEDULE 1:

**MANUFACTURERS NOTIFICATION NUMBER: ITS13ATEXQ7728 Issue 09**

**Explosion Protection Concepts for which the Manufacturer has been assessed:**

Intrinsically Safe Ex ia and ib

**Equipment Types for which the Manufacturer has been assessed:**

Electronic Thermometers

History :

- Issue 3 Re-assessment certificate issued 29th January 2016
- Issue 4 Re-assessment certificate issued 16th January 2017
- Issue 5 Re-assessment carried 11th December 2018 added Ex ia.
- Issue 6 Re-assessment carried 1st March 2019.
- Issue 7 Three month extension.
- Issue 8 Three month extension due to COVID-19.
- Issue 9 Surveillance audit carried out.